




TOP VIEW



SECTION A-A

- NOTES:
1. PRECAST CONCRETE CONFORM TO ASTM-C1227
 2. CONCRETE TO BE 4500 PSI AT 28 DAYS
 3. FINISH (F): SMOOTH FORM FINISH
 4. COLOR: NATURAL GRAY
 5. WELDED WIRE MESH OR REBAR REINFORCING
 6. VOLUME OF FIRST COMPARTMENT IS APPROXIAMTELY $\frac{2}{3}$ THE CAPACITY OF THE TANK'S TOTAL VOLUME
 7. GASKETS TO ACCOMODATE 4" PVC
 8. SANITARY TEES PROVIDED BY PCP



SECTION B-B

CONTRACTOR PROJECT NAME PROJECT LOCATION	DATE:	11-9-12
	REVISIONS	
A	NOTES, DIMENSIONS	
PANHANDLE CONCRETE PRODUCTS, INC. 2202 WEST OVERLAND SCOTTSBUFF, NEBRASKA 69361 PH: (308) 652-2161 FAX: (308) 652-2771		
DRAWING NAME: 1500 GALLON SEPTIC TANK		
DRAWN/CHECKED BY: AIH		
SCALE: NONE		
DATE: 1-21-08		
JOB NO. XXXX		
DRAWING FILE: 1500GAL. SEPTIC TANK		
SHEET NO. ST-1500		